

#### United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Offices Address COMMISSIONER FOR PATENTS PO. doz. 1430 Alexandra, Vaginia. 22313-1450 www.unipla.gov

### \*BIBDATASHEET\*

Bib Data Sheet

**CONFIRMATION NO. 4944** 

, 101	SERIAL NUMB 10/660,462		FILING DATE 09/11/2003 RULE	C	CLASS 128	GRO	UP ART 3743	UNIT	D	ATTORNEY OCKET NO. 354-005211US
	** CONTINUING This applic which is a ** FOREIGN API	Keith G. Lurie, Minneapolis, MN;  CONTINUING DATA **********************************								
	Foreign Priority claims 35 USC 119 (a-d) con met Verified and Acknowledged  ADDRESS 20350 TOWNSEND AN TWO EMBARCA EIGHTH FLOOR	Priority claimed C 119 (a-d) conditions Allowad Medaged  RESS O NSEND AND TOWNSEND AND CREW, LLP EMBARCADERO CENTER ITH FLOOR FRANCISCO, CA						MS	INDEPENDENT CLAIMS 2	
	TITLE  Ventilator and methods for treating head trauma  FEES: Authority has been given in Paper  No to charge/credit DEPOSIT ACCOUNT  No for following:  RECEIVED  All Fees  1.16 Fees (Filing)  1.17 Fees (Processing Ext. of time)  1.18 Fees (Issue)									

486	Other
	☐ Credit

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.